6.5/8/10/12 Inch Midrange Speaker



Item No.	Type	Description	Item No.	Type	Description
MD6.5-1M	6.5 Inch Midrange Speaker	Nominal diameter: 6.5in Nominal impedance: 4 ohm Power rating:120W RMS Sensitivity(1w/1m):95dB ± 2dB Frequency range:125Hz~15kHz Voice coil diameter:φ38.5mm Magnet dimension:φ115mmx20mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium	**MD8-1M**	8 Inch Midrange Speaker	Nominal diameter: 8in Nominal impedance: 4 ohm Power rating:200W RMS Sensitivity(1w/1m):98dB ± 2dB Frequency range:128Hz~17kHz Voice coil diameter:φ50.5mm Magnet dimension:φ135mmx25mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium
MD10-2M	10 Inch Midrange Speaker	Nominal diameter: 10in Nominal impedance: 4 ohm Power rating:300W RMS Sensitivity(1w/1m):96dB ± 2dB Frequency range:105Hz~20kHz Voice coil diameter:φ60.5mm Magnet dimension:φ160mmx25mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium	**MD12-2M**	12 Inch Midrange Speaker	Nominal diameter: 12in Nominal impedance: 4 ohm Power rating:450W RMS Sensitivity(1w/1m):97dB ± 2dB Frequency range:82Hz~20kHz Voice coil diameter:φ76.5mm Magnet dimension:φ180mmx25mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium

The most mature Midrange Speaker

6.5/8 Inch Midrange Speaker



Item No.	Type	Description	Item No.	Type	Description
MD6.5-5M	6.5 Inch Midrange Speaker	Nominal diameter: 6.5in Nominal impedance: 4 ohm Power rating:120W RMS Sensitivity(1w/1m):96dB ± 2dB Frequency range:135Hz~15kHz Voice coil diameter:φ38.5mm Magnet dimension:φ100mmx18mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium	**MD8-5M**	8 Inch Midrange Speaker	Nominal diameter: 8in Nominal impedance: 4 ohm Power rating:200W RMS Sensitivity(1w/1m):98dB ± 2dB Frequency range:118Hz~17kHz Voice coil diameter:φ50.5mm Magnet dimension:φ135mmx25mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium

6.5/8 Inch Midrange Speaker



Item No.	Type	Description
MD6.5-2M	6.5 Inch Midrange Speaker	Nominal diameter: 6.5in Nominal impedance: 4 ohm Power rating: 60W RMS Sensitivity(1w/1m):95dB ± 2dB Frequency range:146Hz~15kHz Voice coil diameter:φ30.5mm Magnet dimension:φ100mmx17mm Basket:Ferrum Surround:Cloth Cone and dust cap:Paper
MD8-2M	8 Inch Midrange Speaker	Nominal diameter: 8in Nominal impedance: 4 ohm Power rating: 80W RMS Sensitivity(1w/1m):95dB ± 2dB Frequency range:115Hz~20kHz Voice coil diameter:φ38.5mm Magnet dimension:φ110mmx20mm Basket:Ferrum Surround:Cloth Cone and dust cap:Paper

The most mature Midrange Speaker

6.5/8 Inch Midrange Speaker



Item No.	Type	Description
MD6.5-4M-B	6.5 Inch Midrange Speaker	Nominal diameter: 6.5in Nominal impedance: 4 ohm Power rating: 60W RMS Sensitivity(1w/1m):95dB ± 2dB Frequency range:110Hz~16kHz Voice coil diameter:φ30.5mm Magnet dimension:φ110mmx20mm Basket:Ferrum Surround:Cloth Cone and dust cap:Paper
MD8-4M-A	8 Inch Midrange Speaker	Nominal diameter: 8in Nominal impedance: 4 ohm Power rating: 100W RMS Sensitivity(1w/1m):97dB ± 2dB Frequency range:100Hz~20kHz Voice coil diameter:φ38.5mm Magnet dimension:φ120mmx20mm Basket:Ferrum Surround:Cloth Cone and dust cap:Paper



6.5 Inch Midrange Speaker

Item No：MD6.5-7M
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):98dB ± 2dB
Frequency range:150Hz~18kHz
Voice coil diameter:φ38.5mm
Magnet dimension:φ120mmx20mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper /Aluminium

6.5 Inch Midrange Speaker

Item No：MD6.5-3M
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:143Hz~15kHz
Voice coil diameter:φ38.5mm
Magnet dimension:φ120mmx20mm
Basket:Aluminium
Surround:Cloth
Cone and dust cap:Paper /Aluminium





8 Inch Midrange Speaker

Item No：MD8-7M
Nominal diameter: 8in
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:100Hz~20kHz
Voice coil diameter:φ35.5mm
Magnet dimension:φ115mmx20mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper/plastic



6.5 Inch Midrange Speaker

Item No：MD6.5-7M
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):96dB ± 2dB
Frequency range:150Hz~18kHz
Voice coil diameter:φ38.5mm
Magnet dimension:φ120mmx20mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper

6.5 Inch Midrange Speaker

Item No：MD6.5-10M
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:143Hz~15kHz
Voice coil diameter:φ38.5mm
Magnet dimension:φ120mmx20mm
Basket:Aluminium
Surround:Cloth
Cone and dust cap:Paper /Aluminium





6*9 Inch Coaxial Speaker

Item No：CT69-3801CX
Nominal diameter: 6*9in
Nominal impedance: 4 ohm
Power rating:160W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:70Hz~20kHz
Voice coil diameter:φ38.5mm /25.4mm
Magnet dimension:φ110x20mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper /Aluminium



6.5 Inch Coaxial Speaker

Item No：CT630
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:120W RMS
Sensitivity(1w/1m):90dB ± 2dB
Frequency range:60Hz~20kHz
Voice coil diameter:φ30.5mm /25.4mm
Magnet dimension:φ100x17mm
Basket:Ferrum
Surround:Rubber
Cone and dust cap:Paper /Aluminium

6.5 Inch Midrange Speaker

Item No：MD6.5-10M
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:60W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:139Hz~20kHz
Voice coil diameter:φ25.5mm
Magnet dimension:φ90mmx15mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper /plastic





6.5 Inch Midrange Speaker

Item No：MD6.5-9M
Nominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:60W RMS
Sensitivity(1w/1m):95dB ± 2dB
Frequency range:123Hz~20kHz
Voice coil diameter:φ25.5mm
Magnet dimension:φ90mmx15mm
Basket:Ferrum
Surround:Cloth
Cone and dust cap:Paper /plastic

The most mature Midrange Speaker



6.5 Inch Midrange Speaker

INominal diameter: 6.5in
Nominal impedance: 4 ohm
Power rating:200W RMS
Sensitivity(1w/1m):98dB ± 2dB
Frequency range:100Hz~20kHz
Voice coil diameter:φ49.5mm
Magnet dimension:φ105x8mm
NED Basket:Aluminium
Surround:Cloth
Cone and dust cap:Paper

6.5 Inch Midrange Speaker



Item No.	Type	Description	Item No.	Type	Description
MD6.5-5M	6.5 Inch Midrange Speaker	Nominal diameter: 6.5in Nominal impedance: 4 ohm Power rating:120W RMS Sensitivity(1w/1m):96dB ± 2dB Frequency range:135Hz~15kHz Voice coil diameter:φ38.5mm Magnet dimension:φ100mmx18mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium	**MD8-5M**	8 Inch Midrange Speaker	Nominal diameter: 8in Nominal impedance: 4 ohm Power rating:200W RMS Sensitivity(1w/1m):98dB ± 2dB Frequency range:118Hz~17kHz Voice coil diameter:φ50.5mm Magnet dimension:φ135mmx25mm Basket:Aluminium Surround:Cloth Cone and dust cap:Paper /Aluminium

12/15 Inch subwooter Speaker



Item No.	Type	Description	Item No.	Type	Description
SW12-1C	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:2+2 ohm Power rating:500W RMS Sensitivity(1w/1m):87dB ± 2dB Frequency range:45Hz~2.8kHz Voice coil diameter:φ60.5mm Magnet dimension:φ160mmx25mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper	**SW15-1C**	15 Inch Subwooter Speaker	Nominal diameter: 15in Nominal impedance:2+2 ohm Power rating:600W RMS Sensitivity(1w/1m):88dB ± 2dB Frequency range:41Hz~2kHz Voice coil diameter:φ65.5mm Magnet dimension:φ190mmx25mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper
SW12-2C	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:2+2 ohm Power rating:800W RMS Sensitivity(1w/1m):88dB ± 2dB Frequency range:46Hz~1.8kHz Voice coil diameter:φ65.5mm Magnet dimension:φ170mmx40mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper	**SW15-2C**	15 Inch Midrange Speaker	Nominal diameter: 15in Nominal impedance:2+2 ohm Power rating:1200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:42Hz~1.3kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx40mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

The most mature subwooter speaker

8/10/12/15 Inch subwooter Speaker



Item No.	Type	Description	Item No.	Type	Description
SW860 -602-4	8 Inch Subwooter Speaker	Nominal diameter: 8in Nominal impedance:4+4 ohm Power rating:600W RMS Sensitivity(1w/1m):84dB ± 2dB Frequency range:45Hz~2kHz Voice coil diameter:φ60.5mm Magnet dimension:φ160mmx40mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper/Carbon fibre	**SW10200 -7503-2**	10 Inch Subwooter Speaker	Nominal diameter: 10in Nominal impedance:2+2 ohm Power rating:3000W RMS Sensitivity(1w/1m):85dB ± 2dB Frequency range:48Hz~600Hz Voice coil diameter:φ76.5mm Magnet dimension:φ200mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper/Carbon fibre
SW12220 -7503-2	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:2+2 ohm Power rating:3000W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:48Hz~600Hz Voice coil diameter:φ76.5mm Magnet dimension:φ220mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper/Carbon fibre	**SW12220 -7503-2B**	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:2+2 ohm Power rating:3000W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:46Hz~600Hz Voice coil diameter:φ76.5mm Magnet dimension:φ220mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper/Carbon fibre

12 Inch subwooter Speaker



Item No.	Type	Description	Item No.	Type	Description
SW1290 -7503-2	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:2+2 ohm Power rating:2200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:45Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper	**SW1290 -7503-4**	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:2000W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:45Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

The most mature subwooter speaker

12 Inch subwooter Speaker



Item No.	Type	Description	Item No.	Type	Description
SW1270 -7501	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:800W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:40Hz~1.8kHz Voice coil diameter:φ75.5mm Magnet dimension:φ170mmx40mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper	**SW1270 -7502**	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:800W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:40Hz~1.8kHz Voice coil diameter:φ75.5mm Magnet dimension:φ170mmx40mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

12 Inch subwooter Speaker



Item No.	Type	Description
SW1290 -7501	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:1200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:45Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

Item No.	Type	Description
SW1290 -7502	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:1200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:42Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

The most mature subwooter speaker

12 Inch subwooter Speaker



Item No.	Type	Description
SW1260 -601-4	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:600W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:36Hz~1.5kHz Voice coil diameter:φ60.5mm Magnet dimension:φ160mmx40mm Basket:Ferrum Surround:Foam Cone and dust cap:Paper/PP

Item No.	Type	Description
SW1260 -602-4	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:600W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:40Hz~1.5kHz Voice coil diameter:φ60.5mm Magnet dimension:φ160mmx40mm Basket:Ferrum Surround:Foam Cone and dust cap:Paper/PP

12 Inch subwooter Speaker



Item No.	Type	Description	Item No.	Type	Description
SW1290 -7501	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:1200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:45Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper	**SW1290 -7502**	12 Inch Subwooter Speaker	Nominal diameter: 12in Nominal impedance:4+4 ohm Power rating:1200W RMS Sensitivity(1w/1m):86dB ± 2dB Frequency range:42Hz~1.5kHz Voice coil diameter:φ75.5mm Magnet dimension:φ190mmx60mm Basket:Aluminium Surround:Foam Cone and dust cap:Paper

The most mature subwooter speaker



12 Inch Subwooter Speaker

Item No:SW1260-2A
Nominal diameter: 12in
Nominal impedance:2+2 ohm
Power rating:500W RMS
Sensitivity(1w/1m):87dB ± 2dB
Frequency range:45Hz~2.5kHz
Voice coil diameter:φ60.5mm
Magnet dimension:φ160mmx25mm
Basket:Aluminium
Surround:Foam
Cone and dust cap:Paper

12 Inch Subwooter Speaker

Item No: SW12-2-50
Nominal diameter: 12in
Nominal impedance:4+4 ohm
Power rating:250W RMS
Sensitivity(1w/1m):86dB ± 2dB
Frequency range:36Hz~1.5kHz
Voice coil diameter:φ49.5mm
Magnet dimension:φ140mmx40mm
Basket:Ferrum
Surround:Rubber
Cone and dust cap:Paper/PP





10 Inch Subwooter Speaker

Item No: SW1060-601
Nominal diameter: 10in
Nominal impedance:4+4 ohm
Power rating:600W RMS
Sensitivity(1w/1m):86dB ± 2dB
Frequency range:42Hz~1.5kHz
Voice coil diameter:φ60.5mm
Magnet dimension:φ160mmx40mm
Basket:Ferrum
Surround:Foam
Cone and dust cap:Paper/PP



8 Inch Subwooter Speaker

Item No：SW860-602-4
Nominal diameter: 8in
Nominal impedance:4+4 ohm
Power rating:600W RMS
Sensitivity(1w/1m):84dB ± 2dB
Frequency range:45Hz~2kHz
Voice coil diameter:φ60.5mm
Magnet dimension:φ160mmx40mm
Basket:Aluminium
Surround:Foam
Cone and dust cap:Paper/Carbon fibre

15 Inch Subwooter Speaker

Item No：SW15220-8903-2B
Nominal diameter: 15in
Nominal impedance:2+2 ohm
Power rating:3200W RMS
Sensitivity(1w/1m):86dB ± 2dB
Frequency range:46Hz~600Hz
Voice coil diameter:φ76.5mm
Magnet dimension:φ220mmx60mm
Basket:Aluminium
Surround:Foam
Cone and dust cap:Paper/Carbon fibre





12 Inch Subwooter Speaker

Item No：SW1260-603-4
Nominal diameter: 12in
Nominal impedance:4+4 ohm
 Power rating:600W RMS
Sensitivity(1w/1m):86dB ± 2dB
Frequency range:40Hz~1.5kHz
Voice coil diameter:φ60.5mm
Magnet dimension:φ160mmx40mm
Basket:Aluminium
Surround:Foam
Cone and dust cap:Paper /PP

The most mature subwooter speaker